

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : **WaterSOLV™ pHix**
Product code : 11684

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Acidic Water Treatment Cleaner
Use of the substance/mixture : Descaler

1.3. Details of the supplier of the safety data sheet

HercChemTech, LLC
7032 East Cortez Road
Scottsdale, AZ 85254-5123 - USA
T (480) 650-6955

1.4. Emergency telephone number

Emergency number : (480) 650-6955

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS US classification

Met. Corr. 1 H290
Skin Corr. 1B H314
Eye Dam. 1 H318

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms :



GHS05

Signal word : Danger

Hazard statements : May be corrosive to metals.
Causes severe skin burns and eye damage.
Causes serious eye damage.

Precautionary statements : Keep only in original container.
Do not breathe fume, mist, vapors.
Wash hands thoroughly after handling.
Wear eye protection, face protection, protective clothing, protective gloves.
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center or doctor/physician.
Specific treatment (see the emergency and first aid section of this Safety Data Sheet on this label).
Wash contaminated clothing before reuse.
Absorb spillage to prevent material-damage.
Store locked up.
Store in corrosive resistant/... container or with a resistant inner liner.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WaterSOLV™ pHix

Safety Data Sheet

2.3. Hazard not otherwise classified (HNOC)

No additional information available.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable.

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	GHS US classification
hydrochloric acid 31.5%	(CAS-No.) 7647-01-0	1 - 5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Proprietary	(CAS-No.) Trade Secret	1-10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes burns/corrosion of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the gastric/intestinal mucosa. Abdominal pain. Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Extinguishing media for surrounding fires. Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Reactivity	: Decomposes on exposure to temperature rise: release of (highly) toxic gases/vapors (chlorine). Reacts violently with (some) bases: release of heat. Reacts exothermically with (strong) oxidizers: release of toxic and corrosive gases/vapors (chlorine). Reacts exothermically with (strong) reducers: release of highly flammable gases/vapors (hydrogen). Reacts with (some) metals: release of highly flammable gases/vapors (hydrogen).
------------	---

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: No additional information available.

WaterSOLV™ pHix

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Dam up the liquid spill. Dilute toxic gases/vapors with water spray. Hazardous reaction: measure explosive gas-air mixture. If reacting: dilute combustible/toxic gases/vapors.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Neutralize spill with soda (sodium carbonate). Wash away neutralized product with plentiful water. Carefully collect the spill/leftovers.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe fume, mist, or vapors. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Incompatible products : Strong bases. Oxidizing agent.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

hydrochloric acid 31.5% (7647-01-0)		
ACGIH	ACGIH Ceiling (ppm)	2 ppm
OSHA	OSHA PEL (Ceiling) (mg/m ³)	7 mg/m ³
OSHA	OSHA PEL (Ceiling) (ppm)	5 ppm

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

Other information : Do not eat, drink or smoke during use.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

WaterSOLV™ pHix

Safety Data Sheet

Color	: Clear
Odor	: None
Odor threshold	: No data available
pH	: < 1
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 200 °F
Flash point	: Will not flash
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosion limits	: No data available
Vapor pressure	: No data available
Vapor density	: No data available
Specific Gravity @ 77° F	: 1.015 - 1.035
Solubility	: Soluble in water Water: Complete
Partition Coefficient n-Octanol-Water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available

9.2. Other information

VOC content : 0 g/l CARB VOC

SECTION 10: Stability and reactivity

10.1. Reactivity

Decomposes on exposure to temperature rise: release of (highly) toxic gases/vapors (chlorine). Reacts violently with (some) bases: release of heat. Reacts exothermically with (strong) oxidizers: release of toxic and corrosive gases/vapors (chlorine). Reacts exothermically with (strong) reducers: release of highly flammable gases/vapors (hydrogen). Reacts with (some) metals: release of highly flammable gases/vapors (hydrogen).

10.2. Chemical stability

Stable under recommended conditions.

10.3. Possibility of hazardous reactions

Contact with base liberates toxic gas.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases. Oxidizing agent. May be corrosive to metals.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Hydrogen chloride vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Proprietary (Trade Secret)

LD50 oral rat	1950 mg/kg (Rat; Other; Literature study; 2040 mg/kg bodyweight; Rat; Experimental value)
LC50 inhalation rat (mg/l)	> 5.2 mg/l/4h (Rat; Experimental value; 3.6 mg/l/4h; Rat; Experimental value)

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: < 1

Serious eye damage/irritation : Causes serious eye damage.
pH: < 1

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

WaterSOLV™ pHix

Safety Data Sheet

hydrochloric acid 31.5% (7647-01-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes burns/corrosion of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the gastric/intestinal mucosa. Abdominal pain. Gastrointestinal complaints.

SECTION 12: Ecological information

12.1. Toxicity

hydrochloric acid 31.5% (7647-01-0)	
LC50 fish 1	282 mg/l (96 h; Gambusia affinis; Pure substance)
EC50 Daphnia 1	< 56 mg/l (72 h; Daphnia magna; Pure substance)
LC50 fish 2	862 mg/l (Leuciscus idus; Pure substance)
Proprietary (Trade Secret)	
LC50 fish 1	164 mg/l (96 h; Pimephales promelas; Nominal concentration)
EC50 Daphnia 1	141 mg/l (48 h; Daphnia magna; Static system)
LC50 fish 2	> 5000 mg/l (96 h; Brachydanio rerio)
Threshold limit algae 1	44 mg/l (72 h; Selenastrum capricornutum; Nominal concentration)
Threshold limit algae 2	20 mg/l (72 h; Selenastrum capricornutum; Nominal concentration)

12.2. Persistence and degradability

hydrochloric acid 31.5% (7647-01-0)	
Persistence and degradability	Not established.
Proprietary (Trade Secret)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.
Biochemical oxygen demand (BOD)	0.18 g O ₂ /g substance
ThOD	0.63 g O ₂ /g substance
BOD (% of ThOD)	0.28 % ThOD

12.3. Bioaccumulative potential

hydrochloric acid 31.5% (7647-01-0)	
Log Pow	0.3
Bioaccumulative potential	Not established.
Proprietary (Trade Secret)	
Log Pow	-1.11 (Experimental value)
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.
 Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

WaterSOLV™ pHix

Safety Data Sheet

UN-No.(DOT)	: UN1760
Other information	: Under 49 CFR 173.154(c) and (b)(1): This product may be shipped as ORM-D or Limited Quantity if the inner packagings do not exceed 1 L (0.3 gallons) or 1.0 kg (2.2 lbs). This provision does not apply to transportation by vessel or aircraft, except where other means of transportation is impracticable.

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: UN1760, Corrosive Liquids, N.O.S. (Hydrochloric Acid), 8, PGII
Hazard labels (DOT)	: 8 - Corrosive



SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

hydrochloric acid 31.5%	CAS-No. 7647-01-0	1 - 5%
-------------------------	-------------------	--------

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

hydrochloric acid 31.5%	CAS-No. 7647-01-0	1 - 5%
-------------------------	-------------------	--------

hydrochloric acid 31.5% (7647-01-0)

Subject to reporting requirements of United States SARA Section 313.

RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists) :	5000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb
SARA Section 311/312 Hazard Classes	Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Skin corrosion or Irritation Health hazard - Serious eye damage or eye irritation Health hazard - Acute toxicity (any route of exposure)
SARA Section 313 - Emission Reporting	Only if it is an aerosol form (acid aerosols including mists, vapors, gas, fog, an dother airborne forms of any particle size)

Proprietary (Trade Secret)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
-------------------------------------	---------------------------------

15.2. International regulations

CANADA

EU-Regulations

No additional information available.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

SECTION 16: Other information

Abbreviations Legend:

H290	May be corrosive to metals
------	----------------------------

WaterSOLV™ pHix

Safety Data Sheet

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation

Disclaimer

This document is generated for the purpose of distributing health, safety, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (480) 650-6955

Revision date: 08/24/2020 Supersedes: 08/05/2020 Version: 1.1